#### M40 Top Version

**CODICE** CR1655659 MODELLO D72/10TSGEP **SERIE** DIAMANTE 70





#### GENERAL CHARACTERISTICS

In addition to offering the widest choice of solutions and 2 mm thick and 70 cm deep tops, this series has all the power, robustness and functionality you need to work efficiently. Scotch Brite finish stainless steel outer shells and feet. Worktop height adjustable from 840 to 900 mm. Modularity of range: 200-400-600-800-1200 Wide range of accessories.

#### **TECHNICAL SPECIFICATIONS**

Smoker that can be installed on the M80 - M120 models for a barbecue-flavoured menu Larger, recessed grease trough on the worktop, easier to clean and more capacious HUMIDIFIER accessory for optimal management of several types of cooking.
Grill height adjustment for handling different types of cooking 4

Grill types available: meat, fish, mixed stainless steel and reversible cast iron meat/fish version I Electric version with tilting heating elements to facilitate the cleaning process I The electric grills are fitted with the unique stainless steel PBS (power-boosting system), which optimises and channels the heat generated by the heating elements towards the cooking zone.



#### M40 Top Version

**CODICE** CR1655659 **MODELLO** D72/10TSGEP **SERIE** DIAMANTE 70

#### **Technical Information**

| SPECIFICATION         | DATA                                   |
|-----------------------|--|
| MATERIAL              | CR1655659                              |
| DEFINITION            | D72/10TSGEP GRIGLIA ELE. PESCE M40 TOP |
| COMMERCIAL LINE       | DIAMANTE                               |
| SUPPLY                | ELECTRICS                              |
| DIM. WIDTH            | 400 mm                                 |
| DIM. PRODUCTIVITY     | 730 mm                                 |
| DIM. HEIGHT           | 250 mm                                 |
| NETWEIGHT             | 0.5 Kg                                 |
| VOLUME (net)          | 0.073                                  |
| PACKAGE LENGTH        | 440 mm                                 |
| PACKAGE WIDTH         | 850 mm                                 |
| PACKAGING HEIGHT      | 550 mm                                 |
| PACKAGE VOLUME        | 0,206 m3                               |
| GROSS PACKING WEIGHT  | 1 Kg                                   |
| STANDARD POWER SUPPLY | 380-415V 3N                            |
| FREQUENCY             | 50-60 Hz                               |
| ELECTRICAL POWER      | 4 kW                                   |
| IP GRADE              | IPX5                                   |
| CERTIFIED MODEL       | D72/10TSGEP                            |



to ISO 9001




#### M40 Top Version

CIS Weinnovate cooking

**CODICE** CR1655659 MODELLO D72/10TSGEP **SERIE** DIAMANTE 70

#### MISURE IN cm - DIMENSIONS IN cm - ABMESSUNGEN IN cm- MESURES EN cm MEDIDAS EN cm - MATEN IN cm - DIMENSIONES EN cm



|    | Legenda - Legende - Key - Légende - Leyenda - Legenda - Legenda  |     |   |  |  |
|----|--|-----|---|--|--|
| E  | Pressacavo entrata linea elettrica - Stopfbuchse - Electric cable<br>stress relief - Presse étoupe de câble él - Pisacable - Elektrische<br>kabelwartel - Entrada cabo eléctrico | G   | Arrivo gas - Gasanschluss - Gas connection - Arrivée gaz -<br>Union de gas - Gasaansluiting - Ligação gás                     |  |  |
| S  | Attacco scarico acqua - Wasserablauf - Water outlet - Vidange de<br>l'eau - Desaguadero - Wateraftapaansluiting - Junção descarga água   | H20 | Arrivo acqua - Wasseranschluss - Water inlet - Arrivée<br>eau - Union de agua - Wateraansluiting - Junção<br>alimentação água |  |  |
| S1 | Scarico vasca - Wannenabflussrohr - Pan outlet - Vidange du bac -<br>Descarga cuba - Water toevoer - Descarga da cuba  |     | Calda - Heiss - Warm - Chaude - Caliente - Warm - Morno<br>Fredda - Kalt - Cold - Froid - Fria - Koude - Frio                 |  |  |
| S2 | Valvola di depressione - Anti-depression valve - Unterdruck ventil -<br>Soupape de dépression - Válvula de dépresión - Onderdrukklep -<br>Válvula de depressão                   |     |   |  |  |
| S3 |  |     |   |  |  |
|    |  | L   | Rubinetto di livello - Level tap - Wasserhahn - Robinet de<br>niveau - Grifo de nivel - Niveaukraan - Torneira de nível       |  |  |
| S4 | Scarico - Abflussrohr - Drain - Tuyau d'évacuation -<br>Tubo de drenaje - Aftapbuis - Tubulação de dreno   |     |   |  |  |



0150 9001



**CODICE** CR1655659 MODELLO D72/10TSGEP

**SERIE** DIAMANTE 70





Smoker that can be installed on the M80 - M120 models for a barbecueflavoured menu



4 Grill types available: meat, fish, mixed stainless steel and reversible cast iron meat/fish version



Larger, recessed grease trough on the worktop, easier to clean and more capacious



Electric version with tilting heating elements to facilitate the cleaning process



HUMIDIFIER accessory for optimal management of several types of cooking.



Exclusive stainless steel powerboosting system (PBS) that optimizes and channels the heat generated by the heating elements to the cooking zone.



Grill height adjustment for handling different types of cooking



## Super Electric Grill M40 - Stainless Steel Rod Grill -M40 Top Version



**CODICE** CR1655659 **MODELLO** D72/10TSGEP **SERIE** DIAMANTE 70

#### ACCESSORIES

| CODE      | MODELLO | DESCRIZIONE                                   |
|-----------|---------|---|
| CR1656559 | D7AF    | D90 SUPER GRILL SMOKER KIT                    |
| CR1656579 | D72GG   | Cast Iron Grid M40 7                          |
| CR1656589 | D72GTI  | M40 Stainless Rod Grill 7                     |
| CR1656789 | D72GI   | Stainless Grid M40 7                          |
| CR1658409 | D7KU4E  | DIAMANTE 70 M40 ELECTRIC GRILL HUMIDIFIER KIT |

