ELECTRIC GLASS-CERAMIC COOKER 4 ZONES ON CABINET



CODICE CR1138779 **MODELLO**DT94/10VTC

DIAMANTE 90 TOUCH

SERIE



GENERAL CHARACTERISTICS

Diamond 90 Touch - Everything under control Everything is under control, perfect results every time. Thanks to the practical display, parameter selection is quick and precise. Easy and clear temperature management, and special functions are always visible and accessible from the display. Tradition and innovation, everything on your worktop A new non-slip square and rounded knob design for a more ergonomic grip and an embossed indicator that makes it easier to select the datum to be set. And with the exclusive Encoder Functionality, simply touch the parameter you want, turn the knob to adjust the level and press it to start the set datum. With water- and dirt-proof crown. Quick and precise parameter selection. Easy and clear temperature management. Special functions always visible and accessible from the display. Stainless steel outer shells and feet. Height from the work surface adjustable from 840 to 900mm. Tops with 2 mm thickness

TECHNICAL SPECIFICATIONS

- Firing zone (270x270mm) marked with square silk-screen printing, indicating the size of the idal container to be used. Single zone power of 4 kW. Temperature adjustable by thermostat from 70 to 450° C.
- Possibility of setting 2 timers to control cooking. An acoustic signal warns the operator at the end of the set time. Power level control via touch screen and adjustment with ergonomic knob ■

Unbreakable flush-mounted glass for easy handling of pans.
Everything is under control, perfect results every time. Thanks to the practical display, parameter selection is quick and precise. Easy and clear temperature management, and special functions are always visible and accessible from the display.
Thanks to the jet-proofing certification (IPX5) obtained through specific tests, knobs and underknobs can be washed, without compromising functionality and safety.



ELECTRIC GLASS-CERAMIC COOKER 4 ZONES ON CABINET



CODICE CR1138779 MODELLO DT94/10VTC SERIE

DIAMANTE 90 TOUCH

Technical Information

SPECIFICATION	DATA		
MATERIAL	CR1138779		
DEFINITION	DT94/10 VTC VETROCER.4Z.VANO G.ELETTRON.		
COMMERCIAL LINE	DIAMANTE TOUCH		
SUPPLY	ELECTRICS		
DIM. WIDTH	800 mm		
DIM. PRODUCTIVITY	900 mm		
DIM. HEIGHT	870 mm		
NETWEIGHT	88 Kg		
VOLUME (net)	0.626		
PACKAGE LENGTH	0 mm		
PACKAGE WIDTH	0 mm		
PACKAGING HEIGHT	0 mm		
PACKAGE VOLUME	1,100 m3		
GROSS PACKING WEIGHT	99 Kg		
STANDARD POWER SUPPLY	380-415V 3N		
FREQUENCY	50-60 Hz		
ELECTRICAL POWER	16 kW		
IP GRADE	IPX5		
CERTIFIED MODEL	DT94/10 VTC		



ELECTRIC GLASS-CERAMIC COOKER 4 ZONES ON






CODICE CR1138779 MODELLO DT94/10VTC

DIAMANTE 90 TOUCH

SERIE

SCHEMA DI INSTALLAZIONE - INSTALLATION DIAGRAM - INSTALLATIONSPLAN - SCHÉMA D'INSTALLATION - ESQUEMA DE INSTALACION -INSTALLATIESCHEMA - IINSTALLATIONSRITNINGAR

MISURE IN cm - DIMENSIONS IN cm - ABMESSUNGEN IN cm- MESURES EN cm MEDIDAS EN cm - MATEN IN cm - DIMENSIONES EN cm



	Legenda - Legende - Key - Légend	e - L	eyenda - Legenda - Legenda
E	Pressacavo entrata linea elettrica - Stopfbuchse - Electric cable stress relief - Presse étoupe de câble él - Pisacable - Elektrische kabelwartel - Entrada cabo eléctrico	G	Arrivo gas - Gasanschluss - Gas connection - Arrivée gaz - Union de gas - Gasaansluiting - Ligação gás
S	Attacco scarico acqua - Wasserablauf - Water outlet - Vidange de l'eau - Desaguadero - Wateraftapaansluiting - Junção descarga água	H20	Arrivo acqua - Wasseranschluss - Water inlet - Arrivée eau - Union de agua - Wateraansluiting - Junção alimentação água
S1	Scarico vasca - Wannenabflussrohr - Pan outlet - Vidange du bac - Descarga cuba - Water toevoer - Descarga da cuba		Calda - Heiss - Warm - Chaude - Caliente - Warm - Morno Fredda - Kalt - Cold - Froid - Fria - Koude - Frio
S2	Valvola di depressione - Anti-depression valve - Unterdruck ventil - Soupape de dépression - Válvula de dépresión - Onderdrukklep - Válvula de depressão	ı	Rubinetto di livello - Level tap - Wasserhahn - Robinet de
S3	Scarico acqua intercapedine - Wasserablauf Zwischenraum - Jacket water drain Evacuation eau double envelope - Descarga de agua intersticios - Afvoer water tussenruimte - Descarga de água na marmita com Sistema de aquecimento indirecto		niveau - Grifo de nivel - Niveaukraan - Torneira de nível



ELECTRIC GLASS-CERAMIC COOKER 4 ZONES ON CABINET



CODICE CR1138779 MODELLO DT94/10VTC

DIAMANTE 90 TOUCH

SERIE



Possibility of setting 2 timers to control cooking. An acoustic signal warns the operator at the end of the set time.



Thanks to the jet-proofing certification (IPX5) obtained through specific tests, knobs and under-knobs can be washed, without compromising functionality and safety.



Power level control via touch screen and adjustment with ergonomic knob



Unbreakable flush-mounted glass for easy handling of pans.



Everything is under control, perfect results every time. Thanks to the practical display, parameter selection is quick and precise. Easy and clear temperature management, and special functions are always visible and accessible from the display.



