

CODICE CR1359249T MODELLO DT92/10GCIIW SERIE
DIAMANTE 90 TOUCH



#### **GENERAL CHARACTERISTICS**

Diamond 90 Touch - Everything under control Everything is under control, perfect results every time. Thanks to the practical display, parameter selection is quick and precise. Easy and clear temperature management, and special functions are always visible and accessible from the display. Tradition and innovation, everything on your worktop A new non-slip square and rounded knob design for a more ergonomic grip and an embossed indicator that makes it easier to select the datum to be set. And with the exclusive Encoder Functionality, simply touch the parameter you want, turn the knob to adjust the level and press it to start the set datum. With water- and dirt-proof crown. Quick and precise parameter selection. Easy and clear temperature management. Special functions always visible and accessible from the display. Stainless steel outer shells and feet. Height from the work surface adjustable from 840 to 900mm. Tops with 2 mm thickness

#### **TECHNICAL SPECIFICATIONS**

- Unbreakable glass-ceramic top. Serigraphs identifying cooking zones. Safety sensor to prevent overheating. Power adjustable to 12 levels Heating by means of an inductor equipped with a device that detects the presence of the cooking vessel on the cooking zone and automatically activates/deactivates heating.
- Possibility of setting 2 timers to control cooking. An acoustic signal warns the operator at the end of the set time. Power level control via touch screen and adjustment with ergonomic knob High

power, full-field capability. automatic detection of the presence of pans. Everything is under control, perfect results every time. Thanks to the practical display, parameter selection is quick and precise. Easy and clear temperature management, and special functions are always visible and accessible from the display. Thanks to the jet-proofing certification (IPX5) obtained through specific tests, knobs and under-knobs can be washed, without compromising functionality and safety.





CODICE CR1359249T MODELLO DT92/10GCIIW SERIE

DIAMANTE 90 TOUCH

## **Technical Information**

SPECIFICATION	DATA
MATERIAL	CR1359249T
DEFINITION	DT92/10 GCIIW WOK M40 ELETTRON. A/G
COMMERCIAL LINE	DIAMANTE
SUPPLY	ELECTRICS
DIM. WIDTH	400 mm
DIM. PRODUCTIVITY	900 mm
DIM. HEIGHT	250 mm
NETWEIGHT	0 Kg
VOLUME (net)	0.09
PACKAGE LENGTH	0 mm
PACKAGE WIDTH	0 mm
PACKAGING HEIGHT	0 mm
PACKAGE VOLUME	0,000 m3
GROSS PACKING WEIGHT	0 Kg
STANDARD POWER SUPPLY	400V 3
FREQUENCY	50 Hz
ELECTRICAL POWER	5 kW
IP GRADE	IPX5
CERTIFIED MODEL	D92/10 TCIIW






CODICE CR1359249T MODELLO DT92/10GCIIW SERIE

DIAMANTE 90 TOUCH

# SCHEMA DI INSTALLAZIONE - INSTALLATION DIAGRAM - INSTALLATIONSPLAN - SCHÉMA D'INSTALLATION - ESQUEMA DE INSTALACION -INSTALLATIESCHEMA - IINSTALLATIONSRITNINGAR

MISURE IN cm - DIMENSIONS IN cm - ABMESSUNGEN IN cm MESURES EN cm - MEDIDAS EN cm - MATEN IN cm



Legenda - Legende - Key - Légende - Leyenda - Legenda

Pressacavo entrata linea elettrica - Stopfbuchse - Electric cable stress relief Presse étoupe de câble él. - Pisacable - Elektrische kabelwartel

H2O\* Attacco arrivo acqua - Wasseranschluss - Water inlet Arrivée eau - Union de agua - Wateraansluiting EN ISO 228-1 G 3/4







CODICE CR1359249T MODELLO DT92/10GCIIW SERIE

DIAMANTE 90 TOUCH



Possibility of setting 2 timers to control cooking. An acoustic signal warns the operator at the end of the set time.



Thanks to the jet-proofing certification (IPX5) obtained through specific tests, knobs and under-knobs can be washed, without compromising functionality and safety.



Power level control via touch screen and adjustment with ergonomic knob



High power, full-field capability. automatic detection of the presence of pans.



Everything is under control, perfect results every time. Thanks to the practical display, parameter selection is quick and precise. Easy and clear temperature management, and special functions are always visible and accessible from the display.

### **ACCESSORIES**

CODEMODELLODESCRIZIONECR1357559OC-T4WWIFI connectivity retrofit kit



