## 4-ZONE INDUCTION COOKER ALL-TOP VERSION



CODICE CR1358569 MODELLO
DT94/10TCIITC

SERIE

DIAMANTE 90 TOUCH



#### **GENERAL CHARACTERISTICS**

Diamond 90 Touch - Everything under control Everything is under control, perfect results every time. Thanks to the practical display, parameter selection is quick and precise. Easy and clear temperature management, and special functions are always visible and accessible from the display. Tradition and innovation, everything on your worktop A new non-slip square and rounded knob design for a more ergonomic grip and an embossed indicator that makes it easier to select the datum to be set. And with the exclusive Encoder Functionality, simply touch the parameter you want, turn the knob to adjust the level and press it to start the set datum. With water- and dirt-proof crown. Quick and precise parameter selection. Easy and clear temperature management. Special functions always visible and accessible from the display. Stainless steel outer shells and feet. Height from the work surface adjustable from 840 to 900mm. Tops with 2 mm thickness

### **TECHNICAL SPECIFICATIONS**

■ Unbreakable glass-ceramic top. ■ Serigraphs identifying cooking zones. ■ Safety sensor to prevent overheating. ■ Power adjustable to 12 levels Heating by means of an inductor equipped with a device that detects the presence of the cooking vessel on the cooking zone and automatically activates/deactivates heating.

■ Ensures the correct positioning and suitability of the pot ■ Power adjustable to 12 levels ■ Professional components tested to withstand intensive use over time ■ Safety sensor to prevent overheating. ■ Cooking zones with 5KW power ■ Mechanically controlled induction ready for IOT connection to Cloud ■ Serigraphs identifying cooking zones.







**CODICE** CR1358569

MODELLO
DT94/10TCIITC

SERIE

DIAMANTE 90 TOUCH

# **Technical Information**

| SPECIFICATION         | DATA                                     |
|-----------------------|--|
| MATERIAL              | CR1358569                                |
| DEFINITION            | DT94/10 TCIITC INDUZ.M80 TC ELETTRON.TOP |
| COMMERCIAL LINE       | DIAMANTETOUCH                            |
| DIM. WIDTH            | 800 mm                                   |
| DIM. PRODUCTIVITY     | 900 mm                                   |
| DIM. HEIGHT           | 250 mm                                   |
| NET WEIGHT            | 0 Kg                                     |
| PACKAGE LENGTH        | 460 mm                                   |
| PACKAGE WIDTH         | 1020 mm                                  |
| PACKAGING HEIGHT      | 1150 mm                                  |
| PACKAGE VOLUME        | 0,540 m3                                 |
| GROSS PACKING WEIGHT  | 60 Kg                                    |
| STANDARD POWER SUPPLY | 380-415V 3N                              |
| FREQUENCY             | 50/60 Hz                                 |
| ELECTRICAL POWER      | 28 kW                                    |
| IP GRADE              | IPX5                                     |
|                       |  |



## 4-ZONE INDUCTION COOKER ALL-TOP VERSION




**CODICE** CR1358569

MODELLO DT94/10TCIITC

SERIE

DIAMANTE 90 TOUCH

# SCHEMA DI INSTALLAZIONE - INSTALLATION DIAGRAM - INSTALLATIONSPLAN - SCHÉMA D'INSTALLATION - ESQUEMA DE INSTALACION -INSTALLATIESCHEMA - IINSTALLATIONSRITNINGAR



| E  | Pressacavo entrata linea elettrica - Stopfbuchse - Electric cable<br>stress relief - Presse étoupe de câble él - Pisacable - Elektrische<br>kabelwartel - Entrada cabo eléctrico  | G Arrivo gas - Gasanschluss - Gas connection - Arrivée gaz -<br>Union de gas - Gasaansluiting - Ligação gás                       |
|----|---|---|
| S  | Attacco scarico acqua - Wasserablauf - Water outlet - Vidange de<br>l'eau - Desaguadero - Wateraftapaansluiting - Junção descarga água  | H20 Arrivo acqua - Wasseranschluss - Water inlet - Arrivée<br>eau - Union de agua - Wateraansluiting - Junção<br>alimentação água |
| S1 | Scarico vasca - Wannenabflussrohr - Pan outlet - Vidange du bac -<br>Descarga cuba - Water toevoer - Descarga da cuba   | A1 = Calda - Heiss - Warm - Chaude - Caliente - Warm - Morno<br>A2 = Fredda - Kalt - Cold - Froid - Fria - Koude - Frio           |
| S2 | Valvola di depressione - Anti-depression valve - Unterdruck ventil -<br>Soupape de dépression - Válvula de dépresión - Onderdrukklep -<br>Válvula de depressão  |   |
| S3 | Scarico acqua intercapedine - Wasserablauf Zwischenraum - Jacket<br>water drain Evacuation eau double envelope - Descarga de agua<br>intersticios - Afvoer water tussenruimte - Descarga de água na<br>marmita com Sistema de aquecimento indirecto | L Rubinetto di livello - Level tap - Wasserhahn - Robinet de<br>niveau - Grifo de nivel - Niveaukraan - Torneira de nivel         |
| 54 | Scarico - Abflussrohr - Drain - Tuyau d'évacuation -<br>Tubo de drenaje - Aftapbuis - Tubulação de dreno  |   |



## 4-ZONE INDUCTION COOKER ALL-TOP VERSION



**CODICE** CR1358569

MODELLO
DT94/10TCIITC

SERIE

DIAMANTE 90 TOUCH



Power adjustable to 12 levels



Mechanically controlled induction ready for IOT connection to Cloud



Professional components tested to withstand intensive use over time



Safety sensor to prevent overheating.



Cooking zones with 5KW power



