

CODICE CR1359239 **MODELLO**D92/10TCIIW

SERIEDIAMANTE 90



GENERAL CHARACTERISTICS

In addition to offering the maximum choice of solutions and 2 mm thick and 90 cm deep tops, this series has all the power, robustness and functionality you need to work efficiently. External coatings and feet in stainless steel with Scotch Brite finish. Working table height adjustable from 840 to 900 mm. Range modularity: 200-400-600-800-1200 Wide range of accessories.

TECHNICAL SPECIFICATIONS

- Unbreakable glass-ceramic top. Serigraphs identifying cooking zones. Safety sensor to prevent overheating. Power adjustable to 12 levels Heating by means of an inductor equipped with a device that detects the presence of the cooking vessel on the cooking zone and automatically switches the heating on/off, and a device against overheating.
- Possibility of setting 2 timers to control cooking. An acoustic signal warns the operator at the end of the set time. High power, full-field capability. automatic detection of the presence of pans. Thanks to the jet-proofing certification (IPX5) obtained through specific tests, knobs and under-knobs can be washed, without compromising functionality and safety.





CODICE CR1359239 **MODELLO**D92/10TCIIW

SERIE
DIAMANTE 90

Technical Information

SPECIFICATION	DATA
MATERIAL	CR1359239
DEFINITION	D92/10 TCIIW WOK M40 TOP
COMMERCIAL LINE	DIAMANTE
SUPPLY	ELECTRICS
DIM. WIDTH	400 mm
DIM. PRODUCTIVITY	900 mm
DIM. HEIGHT	250 mm
NETWEIGHT	0 Kg
VOLUME (net)	0.09
PACKAGE LENGTH	0 mm
PACKAGE WIDTH	0 mm
PACKAGING HEIGHT	0 mm
PACKAGE VOLUME	0,000 m3
GROSS PACKING WEIGHT	0 Kg
STANDARD POWER SUPPLY	400V 3
FREQUENCY	50 Hz
ELECTRICAL POWER	5 kW
IP GRADE	IPX5
CERTIFIED MODEL	D92/10 TCIIW






CODICE CR1359239

MODELLOD92/10TCIIW

SERIE
DIAMANTE 90







CODICE CR1359239

MODELLOD92/10TCIIW

SERIEDIAMANTE 90



Power adjustable to 12 levels



Professional components tested to withstand intensive use over time



Cooking zones with 5KW power



