

CODICE CR1359249 MODELLO D92/10GCIIW SERIE
DIAMANTE 90



GENERAL CHARACTERISTICS

In addition to offering the maximum choice of solutions and 2 mm thick and 90 cm deep tops, this series has all the power, robustness and functionality you need to work efficiently. External coatings and feet in stainless steel with Scotch Brite finish. Working table height adjustable from 840 to 900 mm. Range modularity: 200-400-600-800-1200 Wide range of accessories.

TECHNICAL SPECIFICATIONS

- Unbreakable glass-ceramic top. Serigraphs identifying cooking zones. Safety sensor to prevent overheating. Power adjustable to 12 levels Heating by means of an inductor equipped with a device that detects the presence of the cooking vessel on the cooking zone and automatically switches the heating on/off, and a device against overheating.
- High power, full-field capability. automatic detection of the presence of pans. Thanks to the jet-proofing certification (IPX5) obtained through specific tests, knobs and under-knobs can be washed, without compromising functionality and safety.





CODICE CR1359249

MODELLOD92/10GCIIW

SERIE
DIAMANTE 90

Technical Information

SPECIFICATION	DATA
MATERIAL	CR1359249
DEFINITION	D92/10 GCIIW WOK M40 A/G
COMMERCIAL LINE	DIAMANTE
SUPPLY	ELECTRICS
DIM. WIDTH	400 mm
DIM. PRODUCTIVITY	900 mm
DIM. HEIGHT	870 mm
NETWEIGHT	85 Kg
VOLUME (net)	0.313
PACKAGE LENGTH	0 mm
PACKAGE WIDTH	0 mm
PACKAGING HEIGHT	0 mm
PACKAGE VOLUME	0,700 m3
GROSS PACKING WEIGHT	96 Kg
STANDARD POWER SUPPLY	400V 3
FREQUENCY	50 Hz
ELECTRICAL POWER	5 kW
IP GRADE	IPX5
CERTIFIED MODEL	D92/10 GCIIW






CODICE CR1359249

MODELLOD92/10GCIIW

SERIE
DIAMANTE 90







CODICE CR1359249

MODELLOD92/10GCIIW

SERIE
DIAMANTE 90



Cooking zones with 5KW power



Professional components tested to withstand intensive use over time



Power adjustable to 12 levels



