

**CODICE** CR1656329 MODELLO D92/10TSGEG **SERIE** DIAMANTE 90





### GENERAL CHARACTERISTICS

In addition to offering the maximum choice of solutions and 2 mm thick and 90 cm deep tops, this series has all the power, robustness and functionality you need to work efficiently. External coatings and feet in stainless steel with Scotch Brite finish. Working table height adjustable from 840 to 900 mm. Range modularity: 200-400-600-800-1200 Wide range of accessories.

#### **TECHNICAL SPECIFICATIONS**

■ Grid height adjustment device on two levels. ■ Canal with drainage hole and removable grease and residue collection. ■ Internal drawer for collecting residues. ■ 4 Grill types available: meat, fish, mixed stainless steel and reversible cast iron meat/fish version ■ GRILL, HUMIDIFIER, SMOKER ACCESSORIES: Always available as accessories for all versions. ■ Changing the type of cooking also in the utility GAS Grill / lava stone, with dedicated accessories ■ In gas versions, the power is regulated by a continuously variable tap to adapt the heat of the hotplate to the type of cooking

■ Smoker that can be installed on the M80 - M120 models for a barbecue-flavoured menu ■ Larger, recessed grease trough on the worktop, easier to clean and more capacious ■ HUMIDIFIER accessory for optimal management of several types of cooking. ■ Grill height adjustment for handling different types of cooking ■ 4 Grill types available: meat, fish, mixed stainless steel and reversible cast iron meat/fish version ■ Electric version with tilting heating elements to facilitate the cleaning process ■ The electric grills are fitted with the unique stainless steel PBS (power-boosting system), which optimises and channels the heat generated by the heating elements towards the cooking zone.





Version

**CODICE** CR1656329 **MODELLO** D92/10TSGEG **SERIE** DIAMANTE 90

## **Technical Information**

SPECIFICATION	DATA
MATERIAL	CR1656329
DEFINITION	D92/10TSGEG GRIGLIA ELE. GHISA M40 TOP
COMMERCIAL LINE	DIAMANTE
SUPPLY	ELECTRICS
DIM. WIDTH	400 mm
DIM. PRODUCTIVITY	900 mm
DIM. HEIGHT	250 mm
NETWEIGHT	0.5 Kg
VOLUME (net)	0.09
PACKAGE LENGTH	440 mm
PACKAGE WIDTH	1020 mm
PACKAGING HEIGHT	550 mm
PACKAGE VOLUME	0,248 m3
GROSS PACKING WEIGHT	1 Kg
STANDARD POWER SUPPLY	380-415V 3N
FREQUENCY	50-60 Hz
ELECTRICAL POWER	6.5 kW
IP GRADE	IPX4
CERTIFIED MODEL	D92/10TSGEG



to ISO 9001


Super Electric Grill M40 -	Cast Iron Grill - M40 Top
----------------------------	---------------------------




## Version

**CODICE** CR1656329 **MODELLO** D92/10TSGEG **SERIE** DIAMANTE 90

#### MISURE IN cm - DIMENSIONS IN cm - ABMESSUNGEN IN cm- MESURES EN cm MEDIDAS EN cm - MATEN IN cm - DIMENSIONES EN cm





	Legenda - Legende - Key - Légende - Leyenda - Legenda - Legenda				
E	Pressacavo entrata linea elettrica - Stopfbuchse - Electric cable stress relief - Presse étoupe de câble él - Pisacable - Elektrische kabelwartel - Entrada cabo eléctrico	G	Arrivo gas - Gasanschluss - Gas connection - Arrivée gaz - Union de gas - Gasaansluiting - Ligação gás		
s	Attacco scarico acqua - Wasserablauf - Water outlet - Vidange de l'eau - Desaguadero - Wateraftapaansluiting - Junção descarga água	H20	Arrivo acqua - Wasseranschluss - Water inlet - Arrivée eau - Union de agua - Wateraansluiting - Junção alimentação água		
S1	Scarico vasca - Wannenabflussrohr - Pan outlet - Vidange du bac - Descarga cuba - Water toevoer - Descarga da cuba		Calda - Heiss - Warm - Chaude - Caliente - Warm - Morno Fredda - Kalt - Cold - Froid - Fria - Koude - Frio		
S2	Valvola di depressione - Anti-depression valve - Unterdruck ventil - Soupape de dépression - Válvula de dépresión - Onderdrukklep - Válvula de depressão				
S3	S3 Scarico acqua intercapedine - Wasserablauf Zwischenraum - Jacker water drain Evacuation eau double envelope - Descarga de agua intersticios - Afvoer water tussenruimte - Descarga de água na marmita com Sistema de aquecimento indirecto				
		L	Rubinetto di livello - Level tap - Wasserhahn - Robinet de niveau - Grifo de nivel - Niveaukraan - Torneira de nível		
<b>S</b> 4	Scarico - Abflussrohr - Drain - Tuyau d'évacuation - Tubo de drenaje - Aftapbuis - Tubulação de dreno				



ificato ISO 9001



**CODICE** CR1656329 MODELLO D92/10TSGEG

**SERIE** DIAMANTE 90





Smoker that can be installed on the M80 - M120 models for a barbecueflavoured menu



4 Grill types available: meat, fish, mixed stainless steel and reversible cast iron meat/fish version



Larger, recessed grease trough on the worktop, easier to clean and more capacious



Electric version with tilting heating elements to facilitate the cleaning process



HUMIDIFIER accessory for optimal management of several types of cooking.



Exclusive stainless steel powerboosting system (PBS) that optimizes and channels the heat generated by the heating elements to the cooking zone.



Grill height adjustment for handling different types of cooking





Version

**CODICE** CR1656329 **MODELLO** D92/10TSGEG **SERIE** DIAMANTE 90

#### ACCESSORIES

CODE	MODELLO	DESCRIZIONE
CR1656659	D9AF	D90 SUPER GRILL SMOKER KIT
CR1656679	D92GG	Cast Iron Grid M40 D9
CR1656689	D92GTI	Stainless steel rod grille M40 D9
CR1658449	D92GI	Stainless steel grille M40 D9
CR1658469	D9KU4E	DIAMANTE 90 M40 ELECTRIC GRILL HUMIDIFIER KIT

