compartment

CODICE CR1656479 **MODELLO** D94/10SGEG **SERIE** DIAMANTE 90





GENERAL CHARACTERISTICS

In addition to offering the maximum choice of solutions and 2 mm thick and 90 cm deep tops, this series has all the power, robustness and functionality you need to work efficiently. External coatings and feet in stainless steel with Scotch Brite finish. Working table height adjustable from 840 to 900 mm. Range modularity: 200-400-600-800-1200 Wide range of accessories.

TECHNICAL SPECIFICATIONS

■ Grid height adjustment device on two levels. ■ Canal with drainage hole and removable grease and residue collection. ■ Internal drawer for collecting residues. ■ 4 Grill types available: meat, fish, mixed stainless steel and reversible cast iron meat/fish version ■ GRILL, HUMIDIFIER, SMOKER ACCESSORIES: Always available as accessories for all versions. ■ Changing the type of cooking also in the utility GAS Grill / lava stone, with dedicated accessories ■ In gas versions, the power is regulated by a continuously variable tap to adapt the heat of the hotplate to the type of cooking

■ Smoker that can be installed on the M80 - M120 models for a barbecue-flavoured menu ■ Larger, recessed grease trough on the worktop, easier to clean and more capacious ■ HUMIDIFIER accessory for optimal management of several types of cooking. ■ Grill height adjustment for handling different types of cooking ■ 4 Grill types available: meat, fish, mixed stainless steel and reversible cast iron meat/fish version ■ Electric version with tilting heating elements to facilitate the cleaning process ■ The electric grills are fitted with the unique stainless steel PBS (power-boosting system), which optimises and channels the heat generated by the heating elements towards the cooking zone.



compartment

CODICE CR1656479 **MODELLO** D94/10SGEG **SERIE** DIAMANTE 90

Technical Information

SPECIFICATION	DATA
MATERIAL	CR1656479
DEFINITION	D94/10SGEG GRIGLIA ELE. GHISA M80 A/G
COMMERCIAL LINE	DIAMANTE
SUPPLY	ELECTRICS
DIM. WIDTH	800 mm
DIM. PRODUCTIVITY	900 mm
DIM. HEIGHT	870 mm
NETWEIGHT	0.5 Kg
VOLUME (net)	0.626
PACKAGE LENGTH	840 mm
PACKAGE WIDTH	1020 mm
PACKAGING HEIGHT	1170 mm
PACKAGE VOLUME	1,003 m3
GROSS PACKING WEIGHT	1 Kg
STANDARD POWER SUPPLY	380-415V 3N
FREQUENCY	50-60 Hz
ELECTRICAL POWER	13 kW
IP GRADE	IPX4
CERTIFIED MODEL	D94/10SGEG



to ISO 9001





compartment

CLIS Weinnovate cooking

CODICE CR1656479 **MODELLO** D94/10SGEG **SERIE** DIAMANTE 90

MISURE IN cm - DIMENSIONS IN cm - ABMESSUNGEN IN cm- MESURES EN cm MEDIDAS EN cm - MATEN IN cm - DIMENSIONES EN cm





	Legenda - Legende - Key - Lége	ende	- Leyenda - Legenda - Legenda
E	Pressacavo entrata linea elettrica - Stopfbuchse - Electric cable stress relief - Presse étoupe de câble él - Pisacable - Elektrische kabelwartel - Entrada cabo eléctrico	G	Arrivo gas - Gasanschluss - Gas connection - Arrivée gaz - Union de gas - Gasaansluiting - Ligação gás
S S1	Attacco scarico acqua - Wasserablauf - Water outlet - Vidange de l'eau - Desaguadero - Wateraftapaansluiting - Junção descarga água Scarico vasca - Wannenabflussrohr - Pan outlet - Vidange du bac -	H20 A1 =	Arrivo acqua - Wasseranschluss - Water inlet - Arrivée eau - Union de agua - Wateraansluiting - Junção alimentação água Calda - Heiss - Warm - Chaude - Caliente - Warm - Morno
S2 S3 S4	Descarga cuba - Water toevoer - Descarga da cuba Valvola di depressione - Anti-depression valve - Unterdruck ventil - Soupape de dépression - Válvula de dépresión - Onderdrukklep - Válvula de depressão Scarico acqua intercapedine - Wasserablauf Zwischenraum - Jacket water drain Evacuation eau double envelope - Descarga de agua intersticios - Afvoer water tussenruimte - Descarga de água na marmita com Sistema de aquecimento indirecto Scarico - Abflussrohr - Drain - Tuyau d'évacuation - Tubo de drenaje - Aftapbuis - Tubulação de dreno	A2 =	Fredda - Kalt - Cold - Froid - Fria - Koude - Frio
		L	Rubinetto di livello - Level tap - Wasserhahn - Robinet de niveau - Grifo de nivel - Niveaukraan - Torneira de nível



0150 9001

compartment

CODICE CR1656479 **MODELLO** D94/10SGEG **SERIE** DIAMANTE 90






Smoker that can be installed on the M80 - M120 models for a barbecueflavoured menu



4 Grill types available: meat, fish, mixed stainless steel and reversible cast iron meat/fish version



Larger, recessed grease trough on the worktop, easier to clean and more capacious



Electric version with tilting heating elements to facilitate the cleaning process



HUMIDIFIER accessory for optimal management of several types of cooking.



Exclusive stainless steel powerboosting system (PBS) that optimizes and channels the heat generated by the heating elements to the cooking zone.



Grill height adjustment for handling different types of cooking





compartment

CODICE CR1656479 **MODELLO** D94/10SGEG **SERIE** DIAMANTE 90

ACCESSORIES

CODE	MODELLO	DESCRIZIONE
CR1656659	D9AF	D90 SUPER GRILL SMOKER KIT
CR1656699	D94GG	Cast Iron Grid M80 D9
CR1656709	D94GTI	M80 D9 stainless steel rod grille
CR1658459	D94GI	Stainless steel grille M80 D9
CR1656719	D94GM	Mixed Grill Meat/Fish M80 D9
CR1658479	D9KU8E	DIAMANTE 90 M80 ELECTRIC GRILL HUMIDIFIER KIT

