compartment

CODICE CR1656259 **MODELLO** D94/10SPLG **SERIE** DIAMANTE 90



GENERAL CHARACTERISTICS

In addition to offering the maximum choice of solutions and 2 mm thick and 90 cm deep tops, this series has all the power, robustness and functionality you need to work efficiently. External coatings and feet in stainless steel with Scotch Brite finish. Working table height adjustable from 840 to 900 mm. Range modularity: 200-400-600-800-1200 Wide range of accessories.

*We*innovate cooking

TECHNICAL SPECIFICATIONS

■ Grid height adjustment device on two levels. ■ Canal with drainage hole and removable grease and residue collection. ■ Internal drawer for collecting residues. ■ 4 Grill types available: meat, fish, mixed stainless steel and reversible cast iron meat/fish version ■ GRILL, HUMIDIFIER, SMOKER ACCESSORIES: Always available as accessories for all versions. ■ Changing the type of cooking also in the utility GAS Grill / lava stone, with dedicated accessories ■ In gas versions, the power is regulated by a continuously variable tap to adapt the heat of the hotplate to the type of cooking

Smoker that can be installed on the M80 - M120 models for a barbecue-flavoured menu Larger, recessed grease trough on the worktop, easier to clean and more capacious HUMIDIFIER accessory for optimal management of several types of cooking. Grill height adjustment for handling different types of cooking 4 Grill types available: meat, fish, mixed stainless steel and reversible cast iron meat/fish version Changing the type of cooking also in the utility GAS Grill / lava stone, with dedicated accessories In gas versions, the power is regulated by a continuously variable tap to adapt the heat of the hotplate to the type of cooking



compartment

CODICE CR1656259 **MODELLO** D94/10SPLG **SERIE** DIAMANTE 90

Technical Information

SPECIFICATION	DATA
MATERIAL	CR1656259
DEFINITION	D94/10SPLGG PIETRALAV.GAS GHISA M80 A/G
COMMERCIAL LINE	DIAMANTE
SUPPLY	GAS
DIM. WIDTH	800 mm
DIM. PRODUCTIVITY	900 mm
DIM. HEIGHT	870 mm
NETWEIGHT	137 Kg
VOLUME (net)	0.626
PACKAGE LENGTH	840 mm
PACKAGE WIDTH	1020 mm
PACKAGING HEIGHT	1170 mm
PACKAGE VOLUME	1,003 m3
GROSS PACKING WEIGHT	152 Kg
GAS POWER	25
GAS POWER (G25.3/25mbar)	24,00
CERTIFIED MODEL	D94/10SPL







compartment

CODICE CR1656259

MODELLO D94/10SPLG **SERIE** DIAMANTE 90

MISURE IN cm - DIMENSIONS IN cm - ABMESSUNGEN IN cm- MESURES EN cm MEDIDAS EN cm - MATEN IN cm - DIMENSIONES EN cm





	Legenda - Legende - Key - Légende - Leyenda - Legenda - Legenda				
E	Pressacavo entrata linea elettrica - Stopfbuchse - Electric cable stress relief - Presse étoupe de câble él - Pisacable - Elektrische kabelwartel - Entrada cabo eléctrico	G	Arrivo gas - Gasanschluss - Gas connection - Arrivée gaz - Union de gas - Gasaansluiting - Ligação gás EN 10226-1 R 1/2; EN ISO 228-1 G 1/2 (DK)		
S	Attacco scarico acqua - Wasserablauf - Water outlet - Vidange de l'eau - Desaguadero - Wateraftapaansluiting - Junção descarga água	H20	Arrivo acqua - Wasseranschluss - Water inlet - Arrivée eau - Union de agua - Wateraansluiting - Junção alimentação água		
S1	Scarico vasca - Wannenabflussrohr - Pan outlet - Vidange du bac - Descarga cuba - Water toevoer - Descarga da cuba		Calda - Heiss - Warm - Chaude - Caliente - Warm - Morno Fredda - Kalt - Cold - Froid - Fria - Koude - Frio		
S2 S3	Valvola di depressione - Anti-depression valve - Unterdruck ventil - Soupape de dépression - Válvula de dépresión - Onderdrukklep - Válvula de depressão				
33	3 Scarico acqua intercapedine - Wasserablauf Zwischenraum - Jacket water drain Evacuation eau double envelope - Descarga de agua intersticios - Afvoer water tussenruimte - Descarga de água na marmita com Sistema de aquecimento indirecto				
			Rubinetto di livello - Level tap - Wasserhahn - Robinet de niveau - Grifo de nivel - Niveaukraan - Torneira de nível		
S4	Scarico - Abflussrohr - Drain - Tuyau d'évacuation - Tubo de drenaje - Aftapbuis - Tubulação de dreno				



to ISO 9001



compartment

CODICE CR1656259 MODELLO D94/10SPLG **SERIE** DIAMANTE 90





Smoker that can be installed on the M80 - M120 models for a barbecueflavoured menu



4 Grill types available: meat, fish, mixed stainless steel and reversible cast iron meat/fish version



Larger, recessed grease trough on the worktop, easier to clean and more capacious



Changing the type of cooking also in the utility GAS Grill / lava stone, with dedicated accessories



HUMIDIFIER accessory for optimal management of several types of cooking.



In gas versions, the power is regulated by a continuously variable tap to adapt the heat of the hotplate to the type of cooking



Grill height adjustment for handling different types of cooking





com	ра	rtm	ent
-----	----	-----	-----

CODICE	MODELLO	SERIE
CR1656259	D94/10SPLG	DIAMANTE 90

ACCESSORIES

CODE	MODELLO	DESCRIZIONE
CR1656629	D9CAA	M40 STEEL FLAME ARRESTERS
CR1656639	D9CAG	CAST IRON FLAME ARRESTORS M40
CR1656649	D9KP4	M40 STONEWARE KIT
CR1353909	DCPL6	Lava stone package 4 kg
CR1656659	D9AF	D90 SUPER GRILL SMOKER KIT
CR1656699	D94GG	Cast Iron Grid M80 D9
CR1656709	D94GTI	M80 D9 stainless steel rod grille
CR1658459	D94GI	Stainless steel grille M80 D9
CR1656719	D94GM	Mixed Grill Meat/Fish M80 D9
CR1656749	D9KU8G	DIAMANTE 90 M80 GAS GRILL HUMIDIFIER KIT

