

BAIN-MARIE GAS TOP

CODICE
CR0990289

MODELLO
D74/10TCBG

SERIE
DIAMANTE 70



GENERAL CHARACTERISTICS

In addition to offering the widest choice of solutions and 2 mm thick and 70 cm deep tops, this series has all the power, robustness and functionality you need to work efficiently. Scotch Brite finish stainless steel outer shells and feet. Worktop height adjustable from 840 to 900 mm. Modularity of range: 200-400-600-800-1200. Wide range of accessories.

TECHNICAL SPECIFICATIONS

■ Temperature adjustable from 30 to 90 °C by thermostat. ■ Tub equipped with an overflow level. ■ Perforated false bottom for supporting containers. ■ Height of the work surface adjustable from 840 to 900 mm. ■ Stainless steel outer shells and feet.

■ Adjustable temperature in tank with overflow and perforated false bottom for supporting containers. GN-sized tank. ■ Thanks to the jet-proofing certification obtained in specific tests, the knobs and under-knobs can be washed, without compromising functionality and safety.

BAIN-MARIE GAS TOP

CODICE
CR0990289

MODELLO
D74/10TCBG

SERIE
DIAMANTE 70

Technical Information

SPECIFICATION	DATA
MATERIAL	CR0990289
DEFINITION	D74/10 TCBG BAGNOMARIA GAS TOP M80
COMMERCIAL LINE	DIAMANTE
SUPPLY	GAS
DIM. WIDTH	800 mm
DIM. PRODUCTIVITY	730 mm
DIM. HEIGHT	250 mm
NET WEIGHT	53 Kg
VOLUME (net)	0.146
PACKAGE LENGTH	840 mm
PACKAGE WIDTH	810 mm
PACKAGING HEIGHT	520 mm
PACKAGE VOLUME	0,290 m3
GROSS PACKING WEIGHT	64 Kg
GAS POWER	6
GAS POWER (G25.3/25mbar)	5,50
CERTIFIED MODEL	D74/10 TCBG

CODICE
CR0990289


MODELLO
D74/10TCBG

SERIE
DIAMANTE 70



SCHEMA DI INSTALLAZIONE - INSTALLATION DIAGRAM - INSTALLATIONSPLAN - SCHÉMA D'INSTALLATION - ESQUEMA DE INSTALACION - INSTALLATIESCHEMA - IINSTALLATIONSRTNINGAR

MISURE IN cm - DIMENSIONS IN cm - ABMESSUNGEN IN cm
MESURES EN cm - MEDIDAS EN cm - MATEN IN cm

(D) 72/10 TCBG







(D) 74/10 TCBG



(D) 72/10 CBG



(D) 74/10 CBG



Legenda - Legende - Key - Légende - Leyenda - Legenda


- G** Attacco arrivo gas - Gasanschluss - Gas connection
Arrivée gaz - Union de gas - Gasaansluiting
EN 10226-1 R 1/2 ; EN ISO 228-1 G 1/2 (DK)
- S** Attacco scarico acqua - Wasserablauf - Water outlet
Vidange de l'eau - Desaguadero - Wateraftapaansluiting
EN 10226-1 R 1/2

BAIN-MARIE GAS TOP

CODICE
CR0990289

MODELLO
D74/10TCBG

SERIE
DIAMANTE 70



Adjustable temperature in tank with overflow and perforated false bottom for supporting containers. GN-sized tank.



Thanks to the jet-proofing certification (IPX5) obtained through specific tests, knobs and under-knobs can be washed, without compromising functionality and safety.