

Super Gas Grill M80 - Cast Iron Grill - M80 Top Version

CODICE
CR1655269

MODELLO
D74/10TSGGG

SERIE
DIAMANTE 70



GENERAL CHARACTERISTICS

In addition to offering the widest choice of solutions and 2 mm thick and 70 cm deep tops, this series has all the power, robustness and functionality you need to work efficiently. Scotch Brite finish stainless steel outer shells and feet. Worktop height adjustable from 840 to 900 mm. Modularity of range: 200-400-600-800-1200. Wide range of accessories.

TECHNICAL SPECIFICATIONS

■ Grid height adjustment device on two levels. ■ Canal with drainage hole and removable grease and residue collection. ■ Internal drawer for collecting residues. ■ 4 Grill types available: meat, fish, mixed stainless steel and reversible cast iron meat/fish version ■ GRILL, HUMIDIFIER ACCESSORIES: Always available as accessories for all versions. ■ Changing the type of cooking also in the utility GAS Grill / lava stone, with dedicated accessories ■ In gas versions, the power is regulated by a continuously variable tap to adapt the heat of the hotplate to the type of cooking

■ Smoker that can be installed on the M80 - M120 models for a barbecue-flavoured menu ■ Larger, recessed grease trough on the worktop, easier to clean and more capacious ■ HUMIDIFIER accessory for optimal management of several types of cooking. ■ Grill height adjustment for handling different types of cooking ■ 4 Grill types available: meat, fish, mixed stainless steel and reversible cast iron meat/fish version ■ Changing the type of cooking also in the utility GAS Grill / lava stone, with dedicated accessories ■ In gas versions, the power is regulated by a continuously variable tap to adapt the heat of the hotplate to the type of cooking

Super Gas Grill M80 - Cast Iron Grill - M80 Top Version

CODICE
CR1655269

MODELLO
D74/10TSGGG

SERIE
DIAMANTE 70

Technical Information

| SPECIFICATION | DATA |
|--------------------------|---------------------------------------|
| MATERIAL | CR1655269 |
| DEFINITION | D74/10TSGGG GRIGLIA GAS GHISA M80 TOP |
| COMMERCIAL LINE | DIAMANTE |
| SUPPLY | GAS |
| DIM. WIDTH | 800 mm |
| DIM. PRODUCTIVITY | 730 mm |
| DIM. HEIGHT | 250 mm |
| NET WEIGHT | 85 Kg |
| VOLUME (net) | 0.146 |
| PACKAGE LENGTH | 840 mm |
| PACKAGE WIDTH | 850 mm |
| PACKAGING HEIGHT | 550 mm |
| PACKAGE VOLUME | 0,396 m3 |
| GROSS PACKING WEIGHT | 95.6 Kg |
| GAS POWER | 20 |
| GAS POWER (G25.3/25mbar) | 19,00 |
| CERTIFIED MODEL | D74/10TSGG |

Super Gas Grill M80 - Cast Iron Grill - M80 Top


Version

CODICE
CR1655269

MODELLO
D74/10TSGG

SERIE
DIAMANTE 70

MISURE IN cm - DIMENSIONS IN cm - ABMESSUNGEN IN cm- MESURES EN cm
MEDIDAS EN cm - MATEN IN cm - DIMENSIONES EN cm



Legenda - Legende - Key - Légende - Leyenda - Legenda - Legenda

| | |
|---|---|
| E Pressacavo entrata linea elettrica - Stopfbuchse - Electric cable stress relief - Presse étoupe de câble él - Pisacable - Elektrische kabelwartel - Entrada cabo eléctrico | G Arrivo gas - Gasanschluss - Gas connection - Arrivée gaz - Union de gas - Gasaansluiting - Ligação gás EN 10226-1 R 1/2; EN ISO 228-1 G 1/2 (DK) |
| S Attacco scarico acqua - Wasserablauf - Water outlet - Vidange de l'eau - Desaguadero - Wateraftapaansluiting - Junção descarga água | H20 Arrivo acqua - Wasseranschluss - Water inlet - Arrivée eau - Union de agua - Wateraansluiting - Junção alimentação água |
| S1 Scarico vasca - Wannenabflussrohr - Pan outlet - Vidange du bac - Descarga cuba - Water toevoer - Descarga da cuba | A1 = Calda - Heiss - Warm - Chaud - Caliente - Warm - Morno A2 = Fredda - Kalt - Cold - Froid - Fria - Koude - Frio |
| S2 Valvola di depressione - Anti-depression valve - Unterdruck ventil - Soupape de dépression - Válvula de depresión - Onderdrukklep - Válvula de depressão | |
| S3 Scarico acqua intercapedine - Wasserablauf Zwischenraum - Jacket water drain Evacuation eau double envelope - Descarga de agua intersticios - Afvoer water tussenruimte - Descarga de água na marmitta com Sistema de aquecimento indirecto | |
| S4 Scarico - Abflussrohr - Drain - Tuyau d'évacuation - Tubo de drenaje - Aftapbuis - Tubulação de dreno | L Rubinetto di livello - Level tap - Wasserhahn - Robinet de niveau - Grifo de nivel - Niveaakraan - Torneira de nível |

Super Gas Grill M80 - Cast Iron Grill - M80 Top Version

CODICE
CR1655269

MODELLO
D74/10TSGGG

SERIE
DIAMANTE 70



Smoker that can be installed on the M80 - M120 models for a barbecue-flavoured menu



4 Grill types available: meat, fish, mixed stainless steel and reversible cast iron meat/fish version



Larger, recessed grease trough on the worktop, easier to clean and more capacious



Changing the type of cooking also in the utility GAS Grill / lava stone, with dedicated accessories



HUMIDIFIER accessory for optimal management of several types of cooking.



In gas versions, the power is regulated by a continuously variable tap to adapt the heat of the hotplate to the type of cooking



Grill height adjustment for handling different types of cooking

Super Gas Grill M80 - Cast Iron Grill - M80 Top Version

| | | |
|-----------|-------------|-------------|
| CODICE | MODELLO | SERIE |
| CR1655269 | D74/10TSGGG | DIAMANTE 70 |

ACCESSORIES

| CODE | MODELLO | DESCRIZIONE |
|-----------|---------|--|
| CR1656529 | D7CAA | M40 STEEL FLAME ARRESTERS |
| CR1656539 | D7CAG | CAST IRON FLAME ARRESTORS M40 |
| CR1353899 | DCPL4 | Lava stone package 4 kg |
| CR1656549 | D7KP4 | M40 STONEWARE KIT |
| CR1656559 | D7AF | D90 SUPER GRILL SMOKER KIT |
| CR1656599 | D74GG | Cast Iron Grid M80 7 |
| CR1656609 | D74GTI | M80 Stainless Rod Grill 7 |
| D74GI | D74GI | M80 Stainless Grid 7 |
| CR1656619 | D74GM | Mixed Meat/Fish Grill M80 7 |
| CR1656729 | D7KU8G | DIAMANTE 70 M80 GAS GRILL HUMIDIFIER KIT |