on compartment

CODICE CR1655369 **MODELLO** D74/10SGGM **SERIE** DIAMANTE 70



GENERAL CHARACTERISTICS

In addition to offering the widest choice of solutions and 2 mm thick and 70 cm deep tops, this series has all the power, robustness and functionality you need to work efficiently. Scotch Brite finish stainless steel outer shells and feet. Worktop height adjustable from 840 to 900 mm. Modularity of range: 200-400-600-800-1200 Wide range of accessories.

*We*innovate cooking

TECHNICAL SPECIFICATIONS

■ Grid height adjustment device on two levels. ■ Canal with drainage hole and removable grease and residue collection. ■ Internal drawer for collecting residues. ■ 4 Grill types available: meat, fish, mixed stainless steel and reversible cast iron meat/fish version ■ GRILL, HUMIDIFIER ACCESSORIES: Always available as accessories for all versions. ■ Changing the type of cooking also in the utility GAS Grill / lava stone, with dedicated accessories ■ In gas versions, the power is regulated by a continuously variable tap to adapt the heat of the hotplate to the type of cooking

Smoker that can be installed on the M80 - M120 models for a barbecue-flavoured menu Larger, recessed grease trough on the worktop, easier to clean and more capacious HUMIDIFIER accessory for optimal management of several types of cooking. Grill height adjustment for handling different types of cooking 4 Grill types available: meat, fish, mixed stainless steel and reversible cast iron meat/fish version Changing the type of cooking also in the utility GAS Grill / lava stone, with dedicated accessories In gas versions, the power is regulated by a continuously variable tap to adapt the heat of the hotplate to the type of cooking



on compartment

CODICE CR1655369 **MODELLO** D74/10SGGM **SERIE** DIAMANTE 70

Technical Information

| SPECIFICATION | DATA |
|--------------------------|--------------------------------------|
| MATERIAL | CR1655369 |
| DEFINITION | D74/10SGGM GRIGLIA GAS MISTA M80 A/G |
| COMMERCIAL LINE | DIAMANTE |
| SUPPLY | GAS |
| DIM. WIDTH | 800 mm |
| DIM. PRODUCTIVITY | 730 mm |
| DIM. HEIGHT | 870 mm |
| NETWEIGHT | 85 Kg |
| VOLUME (net) | 0.508 |
| PACKAGE LENGTH | 840 mm |
| PACKAGE WIDTH | 850 mm |
| PACKAGING HEIGHT | 1170 mm |
| PACKAGE VOLUME | 0,836 m3 |
| GROSS PACKING WEIGHT | 95.2 Kg |
| GAS POWER | 20 |
| GAS POWER (G25.3/25mbar) | 19,00 |
| CERTIFIED MODEL | D74/10SGG |








on compartment

| CODICE | | |
|-----------|--|--|
| CR1655369 | | |

MODELLO D74/10SGGM **SERIE** DIAMANTE 70

MISURE IN cm - DIMENSIONS IN cm - ABMESSUNGEN IN cm - MESURES EN cm MEDIDAS EN cm - MATEN IN cm - DIMENSIONES EN cm



| | Legenda - Legende - Key - Légende - Leyenda - Legenda - Legenda | | | | | |
|-----------------------|--|-----|--|--|--|--|
| E | Pressacavo entrata linea elettrica - Stopfbuchse - Electric cable stress relief - Presse étoupe de câble él - Pisacable - Elektrische kabelwartel - Entrada cabo eléctrico | G | Arrivo gas - Gasanschluss - Gas connection - Arrivée gaz - Union de gas - Gasaansluiting - Ligação gás EN 10226-1 R 1/2; EN ISO 228-1 G 1/2 (DK) | | | |
| S | Attacco scarico acqua - Wasserablauf - Water outlet - Vidange de l'eau - Desaguadero - Wateraftapaansluiting - Junção descarga água | H20 | Arrivo acqua - Wasseranschluss - Water inlet - Arrivée eau - Union de agua - Wateraansluiting - Junção alimentação água | | | |
| S1 | Scarico vasca - Wannenabflussrohr - Pan outlet - Vidange du bac - Descarga cuba - Water toevoer - Descarga da cuba | | Calda - Heiss - Warm - Chaude - Caliente - Warm - Morno Fredda - Kalt - Cold - Froid - Fria - Koude - Frio | | | |
| S2 | Valvola di depressione - Anti-depression valve - Unterdruck ventil - Soupape de dépression - Válvula de dépresión - Onderdrukklep - Válvula de depressão | | | | | |
| S3 Sca wat inte | | | | | | |
| | | L | Rubinetto di livello - Level tap - Wasserhahn - Robinet de niveau - Grifo de nivel - Niveaukraan - Torneira de nível | | | |
| S4 | Scarico - Abflussrohr - Drain - Tuyau d'évacuation - Tubo de drenaje - Aftapbuis - Tubulação de dreno | | | | | |



ito ISO 9001

on compartment

CODICE CR1655369 **MODELLO** D74/10SGGM **SERIE** DIAMANTE 70





Smoker that can be installed on the M80 - M120 models for a barbecueflavoured menu



4 Grill types available: meat, fish, mixed stainless steel and reversible cast iron meat/fish version



Larger, recessed grease trough on the worktop, easier to clean and more capacious



Changing the type of cooking also in the utility GAS Grill / lava stone, with dedicated accessories



HUMIDIFIER accessory for optimal management of several types of cooking.



In gas versions, the power is regulated by a continuously variable tap to adapt the heat of the hotplate to the type of cooking



Grill height adjustment for handling different types of cooking





on compartment

| CODICE | MODELLO | SERIE |
|-----------|------------|-------------|
| CR1655369 | D74/10SGGM | DIAMANTE 70 |

ACCESSORIES

| CODE | MODELLO | DESCRIZIONE |
|-----------|---------|--|
| CR1656529 | D7CAA | M40 STEEL FLAME ARRESTERS |
| CR1656539 | D7CAG | CAST IRON FLAME ARRESTORS M40 |
| CR1353899 | DCPL4 | Lava stone package 4 kg |
| CR1656549 | D7KP4 | M40 STONEWARE KIT |
| CR1656559 | D7AF | D90 SUPER GRILL SMOKER KIT |
| CR1656599 | D74GG | Cast Iron Grid M80 7 |
| CR1656609 | D74GTI | M80 Stainless Rod Grill 7 |
| D74GI | D74GI | M80 Stainless Grid 7 |
| CR1656619 | D74GM | Mixed Meat/Fish Grill M80 7 |
| CR1656729 | D7KU8G | DIAMANTE 70 M80 GAS GRILL HUMIDIFIER KIT |

