

CR1655539

MODELLOD72/10SPLGC

DIAMANTE 70

SERIE



GENERAL CHARACTERISTICS

In addition to offering the widest choice of solutions and 2 mm thick and 70 cm deep tops, this series has all the power, robustness and functionality you need to work efficiently.

Scotch Brite finish stainless steel outer shells and feet.

Worktop height adjustable from 840 to 900 mm.

Modularity of range: 200-400-600-800-1200

Wide range of accessories.

TECHNICAL SPECIFICATIONS

- Grid height adjustment device on two levels. Canal with drainage hole and removable grease and residue collection. Internal drawer for collecting residues. 4 Grill types available: meat, fish, mixed stainless steel and reversible cast iron meat/fish version GRILL, HUMIDIFIER, SMOKER ACCESSORIES: Always available as accessories for all versions. Changing the type of cooking also in the utility GAS Grill / lava stone, with dedicated accessories In gas versions, the power is regulated by a continuously variable tap to adapt the heat of the hotplate to the type of cooking
- Smoker that can be installed on the M80 M120 models for a barbecue-flavoured menu Larger, recessed grease trough on the worktop, easier to clean and more capacious HUMIDIFIER accessory for optimal management of several types of cooking. Grill height adjustment for handling different types of cooking 4 Grill types available: meat, fish, mixed stainless steel and reversible cast iron meat/fish version Changing the type of cooking also in the utility GAS Grill / lava stone, with dedicated accessories In gas versions, the power is regulated by a continuously variable tap to adapt the heat of the hotplate to the type of cooking





CODICE CR1655539 **MODELLO**D72/10SPLGC

SERIEDIAMANTE 70

Technical Information

SPECIFICATION	DATA
MATERIAL	CR1655539
DEFINITION	D72/10SPLGC PIETRALAV.GAS CARNE M40 A/G
COMMERCIAL LINE	DIAMANTE
SUPPLY	GAS
DIM. WIDTH	400 mm
DIM. PRODUCTIVITY	730 mm
DIM. HEIGHT	870 mm
NETWEIGHT	54.6 Kg
VOLUME (net)	0.254
PACKAGE LENGTH	440 mm
PACKAGE WIDTH	850 mm
PACKAGING HEIGHT	1160 mm
PACKAGE VOLUME	0,435 m3
GROSS PACKING WEIGHT	64.6 Kg
GAS POWER	10
GAS POWER (G25.3/25mbar)	9,50
CERTIFIED MODEL	D72/10SPLG






CODICE CR1655539

MODELLO D72/10SPLGC SERIE
DIAMANTE 70

MISURE IN cm - DIMENSIONS IN cm - ABMESSUNGEN IN cm- MESURES EN cm MEDIDAS EN cm - MATEN IN cm - DIMENSIONES EN cm



	Legenda - Legende - Key - Légende - Leyenda - Legenda				
E	Pressacavo entrata linea elettrica - Stopfbuchse - Electric cable stress relief - Presse étoupe de câble él - Pisacable - Elektrische kabelwartel - Entrada cabo eléctrico	G	Arrivo gas - Gasanschluss - Gas connection - Arrivée gaz - Union de gas - Gasaansluiting - Ligação gás EN 10226-1 R 1/2; EN ISO 228-1 G 1/2 (DK)		
s	Attacco scarico acqua - Wasserablauf - Water outlet - Vidange de l'eau - Desaguadero - Wateraftapaansluiting - Junção descarga água		Arrivo acqua - Wasseranschluss - Water inlet - Arrivée eau - Union de agua - Wateraansluiting - Junção alimentação água		
S1	Scarico vasca - Wannenabflussrohr - Pan outlet - Vidange du bac - Descarga cuba - Water toevoer - Descarga da cuba		Calda - Heiss - Warm - Chaude - Caliente - Warm - Morno Fredda - Kalt - Cold - Froid - Fria - Koude - Frio		
S2	Valvola di depressione - Anti-depression valve - Unterdruck ventil - Soupape de dépression - Válvula de dépresión - Onderdrukklep - Válvula de depressão				
S3					
			Rubinetto di livello - Level tap - Wasserhahn - Robinet de niveau - Grifo de nivel - Niveaukraan - Torneira de nível		
S4	Scarico - Abflussrohr - Drain - Tuyau d'évacuation - Tubo de drenaje - Aftapbuis - Tubulação de dreno				

120



80

40



CODICE CR1655539 **MODELLO**D72/10SPLGC

DIAMANTE 70

SERIE



Smoker that can be installed on the M80 - M120 models for a barbecue-flavoured menu













Larger, recessed grease trough on the worktop, easier to clean and more capacious



Changing the type of cooking also in the utility GAS Grill / lava stone, with dedicated accessories



HUMIDIFIER accessory for optimal management of several types of cooking.



In gas versions, the power is regulated by a continuously variable tap to adapt the heat of the hotplate to the type of cooking



Grill height adjustment for handling different types of cooking







CODICE CR1655539

MODELLOD72/10SPLGC

DIAMANTE 70

SERIE

ACCESSORIES

CODE	MODELLO	DESCRIZIONE
CR1656529	D7CAA	M40 STEEL FLAME ARRESTERS
CR1656539	D7CAG	CAST IRON FLAME ARRESTORS M40
CR1353899	DCPL4	Lava stone package 4 kg
CR1656549	D7KP4	M40 STONEWARE KIT
CR1656559	D7AF	D90 SUPER GRILL SMOKER KIT
CR1656579	D72GG	Cast Iron Grid M40 7
CR1656589	D72GTI	M40 Stainless Rod Grill 7
CR1656789	D72GI	Stainless Grid M40 7

