

CR1655599

MODELLOD74/10SPLG

DIAMANTE 70

SERIE



GENERAL CHARACTERISTICS

In addition to offering the widest choice of solutions and 2 mm thick and 70 cm deep tops, this series has all the power, robustness and functionality you need to work efficiently.

Scotch Brite finish stainless steel outer shells and feet.

Worktop height adjustable from 840 to 900 mm.

Modularity of range: 200-400-600-800-1200

Wide range of accessories.

TECHNICAL SPECIFICATIONS

- Grid height adjustment device on two levels. Canal with drainage hole and removable grease and residue collection. Internal drawer for collecting residues. 4 Grill types available: meat, fish, mixed stainless steel and reversible cast iron meat/fish version GRILL, HUMIDIFIER, SMOKER ACCESSORIES: Always available as accessories for all versions. Changing the type of cooking also in the utility GAS Grill / lava stone, with dedicated accessories In gas versions, the power is regulated by a continuously variable tap to adapt the heat of the hotplate to the type of cooking
- Smoker that can be installed on the M80 M120 models for a barbecue-flavoured menu Larger, recessed grease trough on the worktop, easier to clean and more capacious HUMIDIFIER accessory for optimal management of several types of cooking. Grill height adjustment for handling different types of cooking 4 Grill types available: meat, fish, mixed stainless steel and reversible cast iron meat/fish version Changing the type of cooking also in the utility GAS Grill / lava stone, with dedicated accessories In gas versions, the power is regulated by a continuously variable tap to adapt the heat of the hotplate to the type of cooking





CODICE CR1655599

MODELLOD74/10SPLG

SERIEDIAMANTE 70

Technical Information

SPECIFICATION	DATA
MATERIAL	CR1655599
DEFINITION	D74/10SPLGG PIETRALAV.GAS GHISA M80 A/G
COMMERCIAL LINE	DIAMANTE
SUPPLY	GAS
DIM. WIDTH	800 mm
DIM. PRODUCTIVITY	730 mm
DIM. HEIGHT	870 mm
NETWEIGHT	110 Kg
VOLUME (net)	0.508
PACKAGE LENGTH	840 mm
PACKAGE WIDTH	850 mm
PACKAGING HEIGHT	1170 mm
PACKAGE VOLUME	0,836 m3
GROSS PACKING WEIGHT	123.2 Kg
GAS POWER	20
GAS POWER (G25.3/25mbar)	19,00
CERTIFIED MODEL	D74/10SPLG






CODICE CR1655599 **MODELLO**D74/10SPLG

SERIE
DIAMANTE 70

MISURE IN cm - DIMENSIONS IN cm - ABMESSUNGEN IN cm- MESURES EN cm MEDIDAS EN cm - MATEN IN cm - DIMENSIONES EN cm



120

Legenda - Legende - Key - Légende - Leyenda - Legenda				
E	Pressacavo entrata linea elettrica - Stopfbuchse - Electric cable stress relief - Presse étoupe de câble él - Pisacable - Elektrische kabelwartel - Entrada cabo eléctrico	G	Arrivo gas - Gasanschluss - Gas connection - Arrivée gaz - Union de gas - Gasaansluiting - Ligação gás EN 10226-1 R 1/2; EN ISO 228-1 G 1/2 (DK)	
s	Attacco scarico acqua - Wasserablauf - Water outlet - Vidange de l'eau - Desaguadero - Wateraftapaansluiting - Junção descarga água	H20	Arrivo acqua - Wasseranschluss - Water inlet - Arrivée eau - Union de agua - Wateraansluiting - Junção alimentação água	
S1	Scarico vasca - Wannenabflussrohr - Pan outlet - Vidange du bac - Descarga cuba - Water toevoer - Descarga da cuba		Calda - Heiss - Warm - Chaude - Caliente - Warm - Morno Fredda - Kalt - Cold - Froid - Fria - Koude - Frio	
S2	Valvola di depressione - Anti-depression valve - Unterdruck ventil - Soupape de dépression - Válvula de dépresión - Onderdrukklep - Válvula de depressão			
S3	Scarico acqua intercapedine - Wasserablauf Zwischenraum - Jacket water drain Evacuation eau double envelope - Descarga de agua intersticios - Afvoer water tussenruimte - Descarga de água na marmita com Sistema de aquecimento indirecto			
			Rubinetto di livello - Level tap - Wasserhahn - Robinet de niveau - Grifo de nivel - Niveaukraan - Torneira de nível	
S4	Scarico - Abflussrohr - Drain - Tuyau d'évacuation -			
	Tubo de drenaje - Aftapbuis - Tubulação de dreno			





80

40



CODICE CR1655599

MODELLOD74/10SPLG

SERIE
DIAMANTE 70



Smoker that can be installed on the M80 - M120 models for a barbecue-flavoured menu













Larger, recessed grease trough on the worktop, easier to clean and more capacious



Changing the type of cooking also in the utility GAS Grill / lava stone, with dedicated accessories



HUMIDIFIER accessory for optimal management of several types of cooking.



In gas versions, the power is regulated by a continuously variable tap to adapt the heat of the hotplate to the type of cooking



Grill height adjustment for handling different types of cooking





CODICE CR1655599 **MODELLO**D74/10SPLG

SERIEDIAMANTE 70

ACCESSORIES

CODE	MODELLO	DESCRIZIONE
CR1656529	D7CAA	M40 STEEL FLAME ARRESTERS
CR1656539	D7CAG	CAST IRON FLAME ARRESTORS M40
CR1353899	DCPL4	Lava stone package 4 kg
CR1656549	D7KP4	M40 STONEWARE KIT
CR1656559	D7AF	D90 SUPER GRILL SMOKER KIT
CR1656599	D74GG	Cast Iron Grid M80 7
CR1656609	D74GTI	M80 Stainless Rod Grill 7
D74GI	D74GI	M80 Stainless Grid 7
CR1656619	D74GM	Mixed Meat/Fish Grill M80 7
CR1656729	D7KU8G	DIAMANTE 70 M80 GAS GRILL HUMIDIFIER KIT

