

## GAS PASTA COOKER 1 BOWL 28 L

CODICE  
CR0990019

MODELLO  
D72/10CPG

SERIE  
DIAMANTE 70



### GENERAL CHARACTERISTICS

In addition to offering the widest choice of solutions and 2 mm thick and 70 cm deep tops, this series has all the power, robustness and functionality you need to work efficiently. Scotch Brite finish stainless steel outer shells and feet. Worktop height adjustable from 840 to 900 mm. Modularity of range: 200-400-600-800-1200. Wide range of accessories.

### TECHNICAL SPECIFICATIONS

■ Molded tubs with rounded corners, made of AISI 316 stainless steel to ensure maximum corrosion resistance. ■ Safety pressure switch to prevent empty tank operation. ■ Stainless steel water outlet and floor drain. ■ Stainless steel outer shells and feet.

■ Safety pressure switch to prevent activation of heating without water in the tank. ■ Water loading by means of solenoid valve. ■ Equipment certified for low voltage directive 2014/35/EU according to the international CB scheme. ■ Thanks to the jet-proofing certification obtained in specific tests, the knobs and under-knobs can be washed, without compromising functionality and safety.

## GAS PASTA COOKER 1 BOWL 28 L

CODICE  
CR0990019

MODELLO  
D72/10CPG

SERIE  
DIAMANTE 70

### Technical Information

| SPECIFICATION            | DATA                                  |
|--------------------------|---------------------------------------|
| MATERIAL                 | CR0990019                             |
| DEFINITION               | D72/10 CPG CUOCIPASTA GAS M40 1V.28LT |
| COMMERCIAL LINE          | DIAMANTE                              |
| SUPPLY                   | MIXED                                 |
| DIM. WIDTH               | 400 mm                                |
| DIM. PRODUCTIVITY        | 730 mm                                |
| DIM. HEIGHT              | 870 mm                                |
| NET WEIGHT               | 46 Kg                                 |
| VOLUME (net)             | 0.254                                 |
| PACKAGE LENGTH           | 440 mm                                |
| PACKAGE WIDTH            | 850 mm                                |
| PACKAGING HEIGHT         | 1160 mm                               |
| PACKAGE VOLUME           | 0,435 m3                              |
| GROSS PACKING WEIGHT     | 55 Kg                                 |
| STANDARD POWER SUPPLY    | 220-240V 1N                           |
| FREQUENCY                | 50-60 Hz                              |
| ELECTRICAL POWER         | 0.015 kW                              |
| GAS POWER                | 10.5                                  |
| GAS POWER (G25.3/25mbar) | 9,50                                  |
| GAS/REFRIGERANT TYPE     | GPL 28-30/37 mbar                     |
| TENSION                  | 230                                   |
| IP GRADE                 | IPX4                                  |
| CERTIFIED MODEL          | D72/10 CPG                            |
| Capacity                 | 28 litri                              |

# GAS PASTA COOKER 1 BOWL 28 L



weinnovate cooking


CODICE  
CR0990019

MODELLO  
D72/10CPG

SERIE  
DIAMANTE 70

## SCHEMA DI INSTALLAZIONE - INSTALLATION DIAGRAM - INSTALLATIONSPLAN - SCHÉMA D'INSTALLATION - ESQUEMA DE INSTALACION - INSTALLATIESCHEMA - IINSTALLATIONSRTNINGAR

MISURE IN cm - DIMENSIONS IN cm - ABMESSUNGEN IN cm  
MESURES EN cm - MEDIDAS EN cm - MATEN IN cm



### Legenda - Legende - Key - Légende - Leyenda - Legenda

- H2O** Attacco arrivo acqua - Wasseranschluss - Water inlet  
Arrivée eau - Union de agua - Wateraansluiting  
**EN ISO 228-1 G 3/4**
- E** Pressacavo entrata linea elettrica - Stopfbuchse - Electric cable stress relief  
Presse étoupe de câble él. - Pisacable - Elektrische kabelwartel
- G** Attacco arrivo gas - Gasanschluss - Gas connection  
Arrivée gaz - Union de gas - Gasaansluiting  
**EN 10226-1 R 1/2; EN ISO 228-1 G 1/2 (DK)**
- S** Attacco scarico acqua - Wasserablauf - Water outlet  
Vidange de l'eau - Desaguadero - Wateraftapaansluiting  
**EN 10226-1 R 1**

## GAS PASTA COOKER 1 BOWL 28 L

CODICE  
CR0990019

MODELLO  
D72/10CPG

SERIE  
DIAMANTE 70



Safety pressure switch to prevent activation of heating without water in the tank.



Water loading by means of solenoid valve.



Equipment certified for low voltage directive 2014/35/EU according to the international CB scheme.



Thanks to the jet-proofing certification (IPX5) obtained through specific tests, knobs and under-knobs can be washed, without compromising functionality and safety.

## GAS PASTA COOKER 1 BOWL 28 L

CODICE  
CR0990019

MODELLO  
D72/10CPG

SERIE  
DIAMANTE 70

### ACCESSORIES

| CODE      | MODELLO | DESCRIZIONE                    |
|-----------|---------|--------------------------------|
| CR0999109 | CCP16D  | BASKET GN1/6 RIGHT-HAND HANDLE |
| CR0999079 | CCP12   | BASKET GN1/2 SIDE HANDLE       |
| CR0999089 | CCP13L  | BASKET GN1/3 SIDE HANDLE       |
| CR0999099 | CCP13F  | BASKET GN1/3 FRONT HANDLE      |
| CR0999119 | CCP16S  | BASKET GN1/6 LEFT HANDLE       |
| CR0999129 | CCP19   | BASKET GN1/9 FRONT HANDLE      |
| CR0999159 | CVCP26  | TANK LID 26LT                  |
| CR0999229 | 7KIT-A  | PASTA COOKER KIT               |
| CR0999239 | 7KIT-B  | PASTA COOKER KIT               |
| CR0999249 | 7KIT-C  | PASTA COOKER KIT               |