

CODICE CR0853979 **MODELLO** OC6FES7E **SERIE** SERIE 650



#### **GENERAL CHARACTERISTICS**

The OLIS SNACK 650 range has a design that characterises all equipment in both top and monoblock versions, with large knobs and an ergonomic dashboard shape.

The wide choice of machines and high performance make this range the ideal choice for environments that are not very spacious but still require high-performance machines.

The modularity of the range allows infinite combinations with installation on compartment bases or tables.

#### **TECHNICAL SPECIFICATIONS**

■ COOKER 4 ELECTRIC PLATES Version on electric oven. Electric cookers are equipped with round cast iron plates hermetically fixed on the top and have a diameter of 180 mm and 220 mm, with power of 1.5 and 2.6 kW, respectively. Static GN 1/1 electric oven

with adjustable temperature from 110-280°C. ■ The plates are hermetically attached to the top, which has a vessel for collecting liquids and is completely smooth for easier cleaning. ■ The electric oven of GN 1/1 dimensions is equipped with armoured heating elements on the top and bottom with independent regulation and adjustable thermostat from 110 to 280°C.





CODICE CR0853979 MODELLO OC6FES7E **SERIE**SERIE 650

#### **Technical Information**

SPECIFICATION	DATA
MATERIAL	CR0853979
DEFINITION	4 PIASTRE EL.T.F.EL/ST 60 M70 OC6FES7ES
COMMERCIAL LINE	SERIE 600
SUPPLY	ELECTRICS
DIM. WIDTH	700 mm
DIM. PRODUCTIVITY	650 mm
DIM. HEIGHT	870 mm
NETWEIGHT	86.3 Kg
VOLUME (net)	0.396
PACKAGE LENGTH	650 mm
PACKAGE WIDTH	750 mm
PACKAGING HEIGHT	1150 mm
PACKAGE VOLUME	0,561 m3
GROSS PACKING WEIGHT	95 Kg
STANDARD POWER SUPPLY	380-415V 3N
FREQUENCY	50-60 Hz
ELECTRICAL POWER	12.4 kW
IP GRADE	IPX3
CERTIFIED MODEL	OC6FES7E








CODICE CR0853979

MODELLO OC6FES7E **SERIE** SERIE 650

### SCHEMA DI INSTALLAZIONE - INSTALLATION DIAGRAM - INSTALLATIONSPLAN - SCHÉMA D'INSTALLATION - ESQUEMA DE INSTALLACION -INSTALLATIESCHEMA - IINSTALLATIONSRITNINGAR

### MISURE IN mm - DIMENSIONS IN mm - ABMESSUNGEN IN mm MESURES EN mm - MEDIDAS EN mm - MATEN IN mm



#### LEGENDA - LEGENDE - KEY - LEGENDE - LEYENDA - LEGENDA

E Pressacavo entrata linea elettrica - Stopfbuchse - Electric cable stress relief - Presse etoupr de cable el Pisacable - Elektrische kabelwartel





CODICEMODELLOSERIECR0853979OC6FES7ESERIE 650



The plates are hermetically attached to the top, which has a vessel for collecting liquids and is completely smooth for easier cleaning.



The electric oven of GN 1/1 dimensions is equipped with armoured heating elements on the top and bottom with independent regulation and adjustable thermostat from 110 to 280°C.



