

ELECTRIC FRY TOP RIBBED PLATE AISI430

CODICE
CR1302799

MODELLO
OFT64ERA

SERIE
SERIE 650



GENERAL CHARACTERISTICS

The OLIS SNACK 650 range has a design that characterises all equipment in both top and monoblock versions, with large knobs and an ergonomic dashboard shape.

The wide choice of machines and high performance make this range the ideal choice for environments that are not very spacious but still require high-performance machines.

The modularity of the range allows infinite combinations with installation on compartment bases or tables.

TECHNICAL SPECIFICATIONS

■ The plates heated by high-powered electric heating elements, such as to ensure a rapid rise in temperature and the maintenance of the chosen values. The plates are equipped with splash guards so as to ensure perfect cleanliness and hygiene of the cooking surface.

The work surface is slightly inclined so as to convey sauces, fats and condiments, into the special large-capacity collection drawer. All electric models, have a thermostatic temperature control, safety thermostat and power indicator lights. ■ The fry tops are equipped with a perimeter splash guard and a removable drip tray.

ELECTRIC FRY TOP RIBBED PLATE AISI430

CODICE
CR1302799

MODELLO
OFT64ERA

SERIE
SERIE 650

Technical Information

SPECIFICATION	DATA
MATERIAL	CR1302799
DEFINITION	FRY-TOP EL.R 60 M40 OFT64ER
COMMERCIAL LINE	SERIE 600
SUPPLY	ELECTRICS
DIM. WIDTH	400 mm
DIM. PRODUCTIVITY	600 mm
DIM. HEIGHT	295 mm
NET WEIGHT	34.4 Kg
VOLUME (net)	0.071
PACKAGE LENGTH	440 mm
PACKAGE WIDTH	740 mm
PACKAGING HEIGHT	690 mm
PACKAGE VOLUME	0,221 m3
GROSS PACKING WEIGHT	40 Kg
STANDARD POWER SUPPLY	380-415V 3N
FREQUENCY	50-60 Hz
ELECTRICAL POWER	3.9 kW
IP GRADE	IPX4
CERTIFIED MODEL	OFT64ERA

ELECTRIC FRY TOP RIBBED PLATE AISI430


CODICE
CR1302799

MODELLO
OFT64ERA

SERIE
SERIE 650

SCHEMA DI INSTALLAZIONE - INSTALLATION DIAGRAM - INSTALLATIONSPLAN - SCHÉMA D'INSTALLATION - ESQUEMA DE INSTALACION - INSTALLATIESCHEMA - IINSTALLATIONSRTNINGAR

MISURE IN mm - DIMENSIONS IN mm - ABMESSUNGEN IN mm
MESURES EN mm - MEDIDAS EN mm - MATEN IN mm



Legenda - Legende - Key - Legende - Leyenda - Legenda - Legenda

E Pressacavo entrata linea elettrica - Stopfbuchse
Electric cable stress relief - Presse etoupr de cable el
Pisacable - Elektrische kabelwartel - Entrada cabo eléctrico

ELECTRIC FRY TOP RIBBED PLATE AISI430

CODICE
CR1302799

MODELLO
OFT64ERA

SERIE
SERIE 650



The fry tops are equipped with a perimeter splash guard and a removable drip tray.

ELECTRIC FRY TOP RIBBED PLATE AISI430

CODICE
CR1302799

MODELLO
OFT64ERA

SERIE
SERIE 650

ACCESSORIES

CODE	MODELLO	DESCRIZIONE
CR1355009	PTPFT	Fry Top cleaning cap
CR1354989	PRPC	Smooth plate cleaning scraper - chrome-plated
CR1356399	RPR	Striped chrome plate scraper
CR1354999	PKLR	Replacement blades (10PCS)