

ELECTRIC PASTA COOKER

CODICE
CR0854359

MODELLO
OPC66E

SERIE
SERIE 650



GENERAL CHARACTERISTICS

The OLIS SNACK 650 range has a design that characterises all equipment in both top and monoblock versions, with large knobs and an ergonomic dashboard shape.

The wide choice of machines and high performance make this range the ideal choice for environments that are not very spacious but still require high-performance machines.

The modularity of the range allows infinite combinations with installation on compartment bases or tables.

TECHNICAL SPECIFICATIONS

■ **ELECTRIC PASTA COOKER** The equipment has high power ratings to ensure that water boiling is maintained. The tank has a sufficiently large surface area to ensure drainage of foam due to dissolved

starches and prevent it from escaping. The equipment has a safety thermostat and an operation indicator lamp. Ergonomic knobs mounted on a sloping dashboard for easy visibility. ■ The tank has fully radiused corners. The pasta cookers are equipped with a tap.

ELECTRIC PASTA COOKER

CODICE
CR0854359

MODELLO
OPC66E

SERIE
SERIE 650

Technical Information

SPECIFICATION	DATA
MATERIAL	CR0854359
DEFINITION	CUOCIPASTA EL.60 M60 OPC66E
COMMERCIAL LINE	SERIE 600
SUPPLY	ELECTRICS
DIM. WIDTH	600 mm
DIM. PRODUCTIVITY	600 mm
DIM. HEIGHT	295 mm
NET WEIGHT	50.7 Kg
VOLUME (net)	0.106
PACKAGE LENGTH	630 mm
PACKAGE WIDTH	750 mm
PACKAGING HEIGHT	520 mm
PACKAGE VOLUME	0,246 m3
GROSS PACKING WEIGHT	58 Kg
STANDARD POWER SUPPLY	380-415V 3N
FREQUENCY	50-60 Hz
ELECTRICAL POWER	9 kW
IP GRADE	IPX4
CERTIFIED MODEL	OPC66E

ELECTRIC PASTA COOKER



weinnovate cooking

CODICE
CR0854359

MODELLO
OPC66E


SERIE
SERIE 650

SCHEMA DI INSTALLAZIONE - INSTALLATION DIAGRAM - INSTALLATIONSPLAN - SCHÉMA D'INSTALLATION - ESQUEMA DE INSTALACION - INSTALLATIESCHEMA - IINSTALLATIONSRTNINGAR

MISURE IN mm - DIMENSIONS IN mm - ABMESSUNGEN IN mm
MESURES EN mm - MEDIDAS EN mm - MATEN IN mm

OPC64E
EDE62120T

OPC66E
EDE63128T



Legenda - Legende - Key - Legende - Leyenda - Legenda - Legenda

- E Pressacavo entrata linea elettrica - Stopfbuchse
Electric cable stress relief - Presse étoupe de câble el
Pisacable - Elektrische kabelwartel - Entrada cabo eléctrico
- H20 Attacco arrivo acqua Wasseranschluss Water inlet
ArrivOe eau Union de agua - Wateraansluiting - Jun Do alimenta Do Água
EN 10226 1 R 1/2
- S Attacco scarico acqua Wasserablauf Water outlet
Vidange de l'eau Desaguadero Wateraflopaansluiting - Jun Do descarga Água
EN 10226 1 R 1/2

ELECTRIC PASTA COOKER

CODICE
CR0854359

MODELLO
OPC66E

SERIE
SERIE 650



The tank has fully radiused corners. The pasta cookers are equipped with a tap.

ACCESSORIES

CODE	MODELLO	DESCRIZIONE
cr0858170	CCP	