

# ELECTRIC SALAMANDER WITH MOVABLE RADIANT PLATE - THREE-PHASE - 6 KW

CODICE  
SE80/0

MODELLO  
SE80/0

SERIE  
SERIE 600



## GENERAL CHARACTERISTICS

A line of small-sized cooking equipment designed for those who, even in small spaces, do not want to give up great performance. Made of AISI 304 18/10 stainless steel, finely finished with Scotch Brite satin finish, it has rounded edges and large capacity enclosures; it has 600/650 mm depth and modular width of 400/600/700/800/1000 mm; the series is completed by open, armored or refrigerated base supports. The equipment is easily modular to one another until it forms a compact, gap-free whole thanks to a leak-covering profile that provides protection against leakage and thus maximum hygiene. High chimneys, ergonomic knobs mounted on a sloping dashboard for easy visibility, give the range ease of use from the first approach. All models are CE approved.

## TECHNICAL SPECIFICATIONS

■ Constructed of AISI 304 brushed stainless steel. ■ Rubber feet. Incoloy armored heating elements. ■ Ventilation holes at the top for heat and smoke evacuation. ■ Resistances contained in the upper movable top, sliding on guides. ■ SE80/0: 2 self-contained removable grids with athermic handles. ■ Removable chrome-plated steel sauce catchers and grids for cleaning. ■ Possible wall application by means of supports on request.

■ Constructed of brushed stainless steel AISI 304. ■ Rubber feet.

Incoloy armored heating elements. ■ Ventilation holes in the upper part

for heat and smoke evacuation.

Heating elements contained in the movable upper, sliding on guides. ■ SE80/0: 2 self-contained removable grids with athermic handles ■ Sauce catchers and grids made of removable chrome-plated steel for cleaning.

Possible wall application

by means of supports on request.

# ELECTRIC SALAMANDER WITH MOVABLE RADIANT PLATE - THREE-PHASE - 6 KW

CODICE  
SE80/0

MODELLO  
SE80/0

SERIE  
SERIE 600

## Technical Information


SPECIFICATION	DATA
MATERIAL	SE80/0
SUPPLY	ELECTRICS
DIM. WIDTH	800 mm
DIM. PRODUCTIVITY	450 mm
DIM. HEIGHT	500 mm
STANDARD POWER SUPPLY	380-415V 3N
FREQUENCY	50-60 Hz
ELECTRICAL POWER	6 kW

ELECTRIC SALAMANDER WITH MOVABLE  
RADIANT PLATE - THREE-PHASE - 6 KW

CODICE  
SE80/0

MODELLO  
SE80/0

SERIE  
SERIE 600



ACCESSORIES

CODE	MODELLO	DESCRIZIONE
9003	9003	STAINLESS STEEL SUPPORTS FOR WALL APPLICATION DEPTH 8 CM (1 PAIR)