CODICE CR1139429T4W MODELLO DT94/10CBE-T4W

DIAMANTE 4.0

SERIE





GENERAL CHARACTERISTICS

Diamond 90 Touch 4.0 - Everything under control Everything is under control, perfect results every time. Thanks to the practical display, parameter selection is quick and precise. Easy and clear temperature management, and special functions are always visible and accessible from the display. Tradition and innovation, everything on your worktop A new non-slip square and rounded knob design for a more ergonomic grip and an embossed indicator that makes it easier to select the datum to be set. And with the exclusive Encoder Functionality, simply touch the parameter you want, turn the knob to adjust the level and press it to start the set datum. With water- and dirt-proof crown. Quick and precise parameter selection. Easy and clear temperature management. Special functions always visible and accessible from the display. Stainless steel outer shells and feet. Height from worktop adjustable from 840 to

900 mm. Tops with 2 mm thickness All model-identified equipment (T4W) is 4.0 Ready equipment, allowing you to benefit from all the advantages of connecting your equipment to a cloud system.

TECHNICAL SPECIFICATIONS

■ Tank dimensions Gastro Norm. ■ Perforated false bottom for supporting containers. ■ Adjustable temperatures from 30° to 90°C. ■ Tub equipped with an overflow level. ■ Armoured heating elements positioned outside the tank. ■ Water loading by means of solenoid valve.

Temperature control via touch screen and adjustment with ergonomic knobAdjustable temperature in tank with overflow and perforated false bottom for supporting containers. GN-sized tank. I industry 4.0 ready version. Everything is under control, perfect results every time. Thanks to the practical display, parameter selection is quick and precise. Easy and clear temperature management, and special functions are always visible and accessible from the display. Thanks to the jet-proofing certification (IPX5) obtained through specific tests, knobs and under-knobs can be washed, without compromising functionality and safety.





CODICE CR1139429T4W **MODELLO** DT94/10CBE-T4W

SERIE DIAMANTE 4.0

Technical Information

SPECIFICATION	DATA
MATERIAL	CR1139429T4W
SUPPLY	ELECTRICS
DIM. WIDTH	800 mm
DIM. PRODUCTIVITY	900 mm
DIM. HEIGHT	870 mm
STANDARD POWER SUPPLY	380-415V 3N
ELECTRICAL POWER	5.4 kW





CODICE CR1139429T4W MODELLO DT94/10CBE-T4W

SERIE DIAMANTE 4.0

SCHEMA DI INSTALLAZIONE - INSTALLATION DIAGRAM - INSTALLATIONSPLAN - SCHÉMA D'INSTALLATION -ESQUEMA DE INSTALACION -INSTALLATIESCHEMA - IINSTALLATIONSRITNINGAR

MISURE IN cm - DIMENSIONS IN cm - ABMESSUNGEN IN cm MESURES EN cm - MEDIDAS EN cm - MATEN IN cm (D) 94/10 TCBE (D) 92/10 TCBE 0 0 ⊢ H₂O ⊲† s 3,5 E (D) 94/10 CBE (D) 92/10 CBE 22 0 0 32,5 Е 2 72 87 47 7 15 63 7,5 7,5 7,5 7,5 13 25 65 125,5 1.0 0 H₂O H₂O 22 s lo 76.5 Е E

Legenda - Legende - Key - Légende - Leyenda - Legenda

E Pressacavo entrata linea elettrica - Stopfbuchse - Electric cable stress relief Presse étoupe de câble él. - Pisacable - Elektrische kabelwartel

80

- S Attacco scarico acqua Wasserablauf Water outlet Vidange de l'eau - Desaguadero - Wateraftapaansluiting EN 10226-1 R 1/2
- H2O Attacco arrivo acqua Wasseranschluss Water inlet Arrivée eau - Union de agua - Wateraansluiting EN ISO 228-1 G 1/2



6

4

CODICE CR1139429T4W MODELLO DT94/10CBE-T4W **SERIE** DIAMANTE 4.0





Possibility of setting 2 timers to control cooking. An acoustic signal warns the operator at the end of the set time.




Everything is under control, perfect results every time. Thanks to the practical display, parameter selection is quick and precise. Easy and clear temperature management, and special functions are always visible and accessible from the display.



Temperature control via touch screen and adjustment with ergonomic knob



Thanks to the jet-proofing certification (IPX5) obtained through specific tests, knobs and under-knobs can be washed, without compromising functionality and safety.



Adjustable temperature in tank with overflow and perforated false bottom for supporting containers. GN-sized tank.



Temperature control via touch screen and adjustment with ergonomic knob





CODICE CR1139429T4W **MODELLO** DT94/10CBE-T4W

SERIE DIAMANTE 4.0

ACCESSORIES

CODE	MODELLO	DESCRIZIONE
CR1357499	4.0IOTPRO	PRO Subscription - Cloud
CR1357479	4.0IOTENTRY	ENTRY Subscription - Cloud

